RAGE Polyclonal Antibody

catalog number: E-AB-13783



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human

Immunogen Recombinant protein of human AGER

Host Rabbit
Isotype IgG

Purification Affinity purification
Conjugation Unconjugated


buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

Applications Recommended Dilutio	Applications	Recommended I	Dilution
----------------------------------	--------------	---------------	----------

WB 1:500-1:2000 **IHC** 1:100-1:300

Data


k0s 95--72--55--36--28--



cancer using RAGE Polyclonal Antibody at dilution of 1:70

Western Blot analysis of 231 cell using RAGE Polyclonal Antibody at dilution of 1:750

Calculated-MV:43 kDa



Immunohistochemistry of paraffin-embedded Human gastric cancer using RAGE Polyclonal Antibody at dilution of 1:70

Preparation & Storage

Storage Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

The advanced glycosylation end product (AGE) receptor encoded by this gene is a member of the immunoglobulin superfamily of cell surface receptors. It is a multiligand receptor, and besides AGE, interacts with other molecules implicated in homeostasis, development, and inflammation, and certain diseases, such as diabetes and Alzheimer's disease. Many alternatively spliced transcript variants encoding different isoforms, as well as non-protein-coding variants, have been described for this gene.

For Research Use Only