

Recombinant Phospho-Girdin (Tyr1765) Monoclonal Antibody

catalog number: **AN302074L**

Note: *Centrifuge before opening to ensure complete recovery of vial contents.*


Description

Reactivity	Human;Rat;Mouse
Immunogen	Phosphorylated human Girdin (Tyr1765) peptide
Host	Rabbit
Isotype	IgG, κ
Clone	A794
Purification	Protein A purified
Buffer	PBS, 50% glycerol, 0.05% Proclin 300, 0.05% protein protectant.


Applications Recommended Dilution

IHC	1:200-1:1000
------------	--------------


Data




Immunohistochemistry of paraffin-embedded Human breast cancer using Phospho-Girdin (Tyr1765) Monoclonal Antibody at dilution of 1: 1000.



Immunohistochemistry of paraffin-embedded Mouse stomach using Phospho-Girdin (Tyr1765) Monoclonal Antibody at dilution of 1: 1000.



Immunohistochemistry of paraffin-embedded Rat liver using Phospho-Girdin (Tyr1765) Monoclonal Antibody at dilution of 1: 1000.



Immunohistochemistry of paraffin-embedded Rat stomach using Phospho-Girdin (Tyr1765) Monoclonal Antibody at dilution of 1: 1000.

Preparation & Storage

Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	Ice bag

Background

Bifunctional modulator of guanine nucleotide-binding proteins (G proteins). Acts as a non-receptor guanine nucleotide exchange factor which binds to and activates guanine nucleotide-binding protein G(i) alpha subunits. Also acts as a guanine nucleotide dissociation inhibitor for guanine nucleotide-binding protein G(s) subunit alpha GNAS.

For Research Use Only