Cleaved-CASP3 p12 (D175) Polyclonal Antibody


Catalog Number:E-AB-30003 5 Publications



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Human
Immunogen	Synthesized peptide derived from the Internal region of human Caspase-3 p12
Host	Rabbit
Isotype	IgG
Purification	Affinity purification
Conjugation	Unconjugated
Formulation	PBS with 0.02% sodium azide, 0.5% protective protein and 50% glycerol, pH7.4
Applications	Recommended Dilution
WB	1:500-2000
IHC	1:50-300
IF	1:50-300
Data	





Western Blot analysis of KB cells using Cleaved-CASP3 p12 (D175) Polyclonal Antibody at dilution of 1:1000. **Observed MW:20+35kDa Calculated Mw:32kDa** Immunofluorescence analysis of Human liver cancer tissue using Cleaved-CASP3 p12 (D175) Polyclonal Antibody at dilution of 1:200.

Preparation & Storage

Background

Involved in the activation cascade of caspases responsible for apoptosis execution. At the onset of apoptosis it proteolytically cleaves poly(ADP-ribose) polymerase (PARP) at a '216-Asp-Gly-217' bond. Cleaves and activates sterol regulatory element binding proteins (SREBPs) between the basic helix-loop-helix leucine zipper domain and the membrane attachment domain. Cleaves and activates caspase-6, -7 and -9. Involved in the cleavage of huntingtin.

For Research Use Only

 A Reliable Research Partner in Life Science and Medicine

 Toll-free: 1-888-852-8623
 Tel: 1-832-243-6086

 Web: www.elabscience.com
 Email: techsupport@elabscience.com