
# **Elabscience**®

### PE Anti-Human IL-6 Antibody[MQ2-13A5]

#### Catalog Number: E-AB-F1206D

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Human
Host	Rat
Isotype	Rat lgG1, κ
Clone No.	MQ2-13A5
Isotype Control	PE Rat IgG1, κ Isotype Control[HRPN] [Product E-AB-F09822D]
Conjugation	PE
Conjugation Information Storage Buffer	PE is designed to be excited by the Blue (488 nm), Green (532 nm) and Yellow-Green (561 nm) lasers and detected using an optical filter centered near 575 nm (e.g., a 585/42 nm bandpass filter). Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.
Applications	Recommended usage
FCM	Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 µL of antibody per test (million cells in 100 µL staining volume or per 100 µL of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.



HEK293T cells transiently transfected with pcDNA3.1 plasmid encoding Human IL-6 gene are stained with PE Anti-Human IL-6 Antibody[MQ2-13A5] (filled gray histogram) or PE Rat IgG1, κ Isotype Control (empty black histogram).

Preparation & Storage	)
Storage	Keep as concentrated solution.
	This product can be stored at 2-8°C for 12 months. Please protected from prolonged exposure to light and do not freeze.
Shipping	Ice bag
Antigen Information	
Alternate Names	B-cell hybridoma growth factor;IL-6;Interleukin HP-1;Interleukin-6
Uniprot ID	P05231

### For Research Use Only

Toll-free: 1-888-852-8623 Web:<u>w w w .elabscience.com</u>

## **Elabscience**®

Gene ID Background

#### 3569

IL-6 is a potent lymphoid cell growth factor that stimulates the growth and survival of certain B cells and T cells. IL-6 plays a role in host defense, acute phase reactions, immune response, and hematopoiesis. IL-6 is expressed by T cells, B cells, monocytes, fibroblasts, hepatocytes, endothelial cells, and keratinocytes.

For Research Use Only