Recombinant Human LTA4H Protein (His Tag)

Catalog Number: PKSH032704

Note: Centrifuge before opening to ensure complete recovery of vial contents.

| Description | |
|--|---|
| Description | |
| Species | Human |
| Source | HEK293 Cells-derived Human LTA4H protein Met 1-Asp611, with an C-terminal His |
| Calculated MW | 70.3 kDa |
| Observed MW | 60-70 kDa |
| Accession | P09960 |
| Bio-activity | Not validated for activity |
| Properties | |
| Purity | > 95 % as determined by reducing SDS-PAGE. |
| Concentration | Subject to label value. |
| Endotoxin | < 1.0 EU per µg of the protein as determined by the LAL method. |
| Storage | Store at $< -20^{\circ}$ C, stable for 6 months. Please minimize freeze-thaw cycles. |
| Shipping | This product is provided as liquid. It is shipped at frozen temperature with blue ice/gel |
| | packs. Upon receipt, store it immediately at $< -20^{\circ}$ C. |
| Formulation | Supplied as a 0.2 µm filtered solution of 20mM MES, 2mM EDTA, 20% Glycerol, pH |
| | 5.0. |
| Data | |
| kDa MK | n ^{ce} R |
| Elabsu. | |
| 120 | ence |
| 90 | Hatser |
| 60 | |
| ciense | meclence |
| 40 | Els. |
| 30 | |
| elabser | |
| 20 | |
| > 95 % as determined by reducing SDS-PAGE. | |

Background

LTA4H, which is short for Leukotriene A-4 hydrolase, is a 611 aa. protein. It belongs to the peptidase M1 family, and exists in cytoplasm. This protein has at least 4 is forms produced by alternative splicing, and two of them are expressed in monocytes, lymphocytes, neutrophils, reticulocytes, platelets and fibroblasts. LTA4H involves in lipid metabolism and leukotriene B4 biosynthesis. It is a epoxide hydrolase that catalyzes the final step in the biosynthesis of the proinflammatory mediator leukotriene B4. It also has aminopeptidase activity