A Reliable Research Partner in Life Science and Medicine

# Purified Anti-Human CD279 Antibody[EH12.2H7]

catalog number: E-AB-F12290P

Note: Centrifuge before opening to ensure complete recovery of vial contents.

### Description

Reactivity Human

**Immunogen** Recombinant Human CD279 protein

**Host** Mouse

IsotypeMouse IgGl,  $\kappa$ CloneEH12.2H7

**Purification** >98%, Protein A/G purified


**Buffer** Phosphate-buffered solution, pH 7.2, containing 0.05% non-protein stabilizer. Dialyze

to completely remove the stabilizer prior to labeling.

# **Applications** Recommended Dilution

FCM  $2 \mu g/mL(1 \times 10^5 - 5 \times 10^5 \text{ cells})$ 

#### Data



Human peripheral blood lymphocytes were stained with 0.2 μg Purified Anti-Human CD279 Antibody[EH12.2H7] (Right) and 0.2 μg Mouse IgG1, κ Isotype Control (Left), followed by Alexa Fluor® 647-conjugated Goat Anti-Mouse IgG Secondary Antibody, then anti-Human CD3 PEconjugated Monoclonal Antibody.

## **Preparation & Storage**

Storage Storage Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /

thaw cycles.

Shipping Ice bag

# Background

rogrammed Death-1 (PD-1) is a type I transmembrane protein belonging to the CD28/CTLA-4 family of immunoreceptors that mediate signals for regulating immune responses . Members of the CD28/CTLA-4 family have been shown to either promote T cell activation (CD28 and ICOS) or down-regulate T cell activation (CTLA-4 and PD-1).

## For Research Use Only

Fax: 1-832-243-6017