Recombinant Rat gsta1 protein (His Tag)

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Catalog Number: PDER100224



Description Species Rat 24.3 kDa Mol Mass Accession P00502 Not validated for activity **Bio-activity Properties** > 95% as determined by reducing SDS-PAGE. Purity Endotoxin < 10 EU/mg of the protein as determined by the LAL method Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 Storage °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at $< -20^{\circ}$ C for 3 months. This product is provided as lyophilized powder which is shipped with ice packs. Shipping Lyophilized from a 0.2 μ m filtered solution in PBS with 5% Trehalose and 5% Formulation Mannitol. Reconstitution It is recommended that sterile water be added to the vial to prepare a stock solution of 0.5 mg/mL. Concentration is measured by UV-Vis. Data

| KDa | М | | R | |
|-----|---|---|---|---|
| 80 | - | - | | |
| 60 | | | | |
| | | | | |
| 40 | - | - | | |
| 30 | | | | |
| | | S | _ | |
| | | | | |
| 20 | | | | |
| 12 | | | | - |
| | | | | |

> 95 % as determined by reducing SDS-PAGE.

Background

Glutathione S-transferase that catalyzes the nucleophilic attack of the sulfur atom of glutathione on the electrophilic groups of a wide range of exogenous and endogenous compounds (Probable). Involved in the formation of glutathione conjugates of both prostaglandin A2 (PGA2) and prostaglandin J2 (PGJ2). Tissue specificity expressed in liver. Homodimer or heterodimer of GSTA1 and GSTA2.

For Research Use Only