## AF/LE Purified Anti-Human/Mouse KLRG-1 Antibody[2F1]

catalog number: E-AB-F12730



Note: Centrifuge before opening to ensure complete recovery of vial contents.

-					
	AC	cri	m	т	٦n
$\mathbf{L}$		CII		2.	

**Reactivity** Human, Mouse

Immunogen Recombinant Mouse KLRG-1 protein

HostSyrian HamsterIsotypeSyrian Hamster IgG

Clone 2F1

**Purification** >98%, Protein A/G purified

Conjugation None (AF/LE)

buffer Sterile PBS, pH 7.2. < 1.0 EU per mg of the antibody as determined by the LAL method

.

Applications	Recommended Dilution
FCM	$2 \mu g/mL(1\times10^5-5\times10^5 \text{ cells})$
Preparation & Storage	
Storage	Store at 4°C valid for 12 months or -20°C valid for long termstorage, avoid freeze / thaw cycles. This preparation contains no preservatives, thus it should be handled under aseptic conditions.
Shipping	Order now, ship in 3 days

## Background

Killer cell lectin-like receptor Gl (KLRGl) is the mouse homolog of the rat mast cell function-associated antigen (MAFA or 2F1-Ag). KLRGl is a type II membrane glycoprotein that was first identified on the surface of rat mast cell line RBL-2H3. It is composed of a homodimer of glycosylated 30-38 kD subunits. Mouse and human homologs of KLRGl are expressed by subsets of NK cells and lymphokine-activated killer (LAK) cells but not mast cells. KLRGl is also expressed on subsets of CD8<sup>+</sup>erdicated killer (LAK) cells, including CD4<sup>++</sup>and CD8<sup>++</sup>rated CD8<sup>++</sup>rated CD8<sup>++</sup>rated CD8<sup>++</sup>rated CD8<sup>++</sup>rated CD8<sup>++</sup>rated CD8<sup>regulating NK cell homeostasis. KLRG2 was found to recognize cadherins and thus inhibit immune responses by regulating the effector function and the developmental processes of NK and T cells.

## For Research Use Only