# **Elabscience**®


### Recombinant Human IFNα2 Protein(His Tag)

#### Catalog Number: PDMH100452

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Species	Human
Source	Mammalian-derived Human IFNa2 protein Cys24-Glu188, with an C-teminal His
Calculated MW	18.0 kDa
Observed MW	15-18 kDa
Accession	P01563
<b>Bio-activity</b>	Not validated for activity
Properties	
Purity	>90% as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU/mg of the protein as determined by the LAL method
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80
	°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of
	reconstituted samples are stable at $< -20^{\circ}C$ for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from a 0.2 $\mu$ m filtered solution in PBS with 5% Trehalose and 5%
	Mannitol.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of
	0.5 mg/mL. Concentration is measured by UV-Vis.

#### Data



SDS-PAGE analysis of Human IFN $\alpha$ 2 proteins, 2µg/lane of Recombinant Human IFN $\alpha$ 2 proteins was resolved with SDS-

PAGE under reducing conditions, showing bands at 15-18

### kDa

#### Background

# **Elabscience**®

Interferon-alpha 2 (IFN alpha-2) is one of 14 subtypes with anin the IFN-alpha class of Type I Interferons. The members of the IFN-alpha class, also known as alpha leukocyte interferons, encompass a group of distinct but closely related proteins which share approximately 80% amino acid (aa) sequence identity and have a similar globular structure composed of five alpha-helices. IFN-alpha class members signal through a common cell surface receptor complex composed of IFN-alpha R2 and IFN-alpha R1 subunits. As the first highly active IFN to be cloned and produced, IFN alpha-2 has become the prototypic IFN for academic and pharmaceutical research. The mature extracellular domain (ECD) of mouse IFN alpha-2 shares 60% and 83% as sequence identity with an human and rat, respectively. Murine IFN-alpha 2 can eliminate cardiac viral load and protect cardiomyocytes from injury in animals infected with an coxsackievirus B3 (CVB3). IFN alpha-2 derived mutants with an reduced IFNR2 binding inhibited HIV replication and mutants with an more IFNAR1 binding potentiated antiviral activity.