## Recombinant Human NKG2DL/ULBP-1 Protein (Fc Tag)

Catalog Number: PKSH032815



Note: Centrifuge before opening to ensure complete recovery of vial contents. Description Species Human Mol Mass 49.4 kDa Accession O9BZM6 Not validated for activity **Bio-activity Properties** > 95 % as determined by reducing SDS-PAGE. Purity < 1.0 EU per µg of the protein as determined by the LAL method. Endotoxin Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 Storage °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at  $< -20^{\circ}$ C for 3 months. This product is provided as lyophilized powder which is shipped with ice packs. Shipping Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4. Formulation Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual. Reconstitution Please refer to the printed manual for detailed information. Data kΕ

kDa	MK	R
120 90 60		-
40	-	
30	-	
20	-	
14	-	

> 95 % as determined by reducing SDS-PAGE.

## Background

NKG2D ligand 1; also called ULBP1; is a member of UL16-binding protein (ULBP) family which has also been termed the retinoic acid early transcript 1 (RAET1) family. Unlike the classical MHC class I molecules and the MIC molecules possess  $\alpha_1$ ;  $\alpha_2$  and  $\alpha_3$  domains; ULBP/RAET1 family members lack  $\alpha_3$  domain. ULBP1 is recognized by the activating receptor NKG2D on the surface of cytotoxic natural killer (NK) and T cells; and then promotes the lysis of cells expressing ULBP1 which is important for the immune surveillance. ULBP1 and several other family members; ULBP2 and ULBP5; own the ability to bind the human cytomegalovirus (CMV) UL16 glycoprotein. The human CMV glycoprotein UL16 binds to intracellular ULBP1 and so inhibits its expression at the cell surface; which reduces the susceptibility of the virus-infected cell to cytotoxic destruction by NK cells. The expression of ULBP1 has been found on some tumor cells and is implicated in tumor surveillance.

## For Research Use Only