

A Reliable Research Partner in Life Science and Medicine

# Recombinant Human sCD163 Protein(His Tag)

Catalog Number: PDMH100228

Note: Centrifuge before opening to ensure complete recovery of vial contents.

## Description

Species Human

Source Mammalian-derived Human sCD163 protein Ser42-Ser1045, with an C-terminal His

 Calculated MW
 110.3 kDa

 Observed MW
 130-140 kDa

 Accession
 O86VB7

**Bio-activity** Not validated for activity

## **Properties**

**Purity** > 90% as determined by reducing SDS-PAGE.

Endotoxin <1.0 EU/mg of the protein as determined by the LAL method

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.


ShippingThis product is provided as lyophilized powder which is shipped with ice packs.FormulationLyophilized from a 0.2 μm filtered solution in PBS with 5% Trehalose and 5%

Mannitol.

**Reconstitution** It is recommended that sterile water be added to the vial to prepare a stock solution of

0.5 mg/mL. Concentration is measured by UV-Vis.

#### Data



SDS-PAGE analysis of Human sCD163 proteins, 2 µg/lane of Recombinant Human sCD163 proteins was resolved with an SDS-PAGE under reducing conditions, showing bands at 110.3KD

# Background

The protein encoded by this gene is a member of the scavenger receptor cysteine-rich (SRCR) superfamily, and is exclusively expressed in monocytes and macrophages. It functions as an acute phase-regulated receptor involved in the clearance and endocytosis of hemoglobin/haptoglobin complexes by macrophages, and may thereby protect tissues from free hemoglobin-mediated oxidative damage. This protein may also function as an innate immune sensor for bacteria and inducer of local inflammation. Alternatively spliced transcript variants encoding different isoforms have been described for this gene.

## For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017