Recombinant Human UBE2G2 Protein (GST Tag)

Catalog Number: PKSH033184



Note: Centrifuge before opening to ensure complete recovery of vial contents.

-					
- 1	00	cri	m	17	٦m
J			174	, T. U	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

 Species
 Human

 Mol_Mass
 45.0 kDa

 Accession
 P60604

Bio-activity Not validated for activity

Properties

Purity > 95 % as determined by reducing SDS-PAGE.

Endotoxin $< 1.0 \text{ EU per } \mu\text{g of the protein as determined by the LAL method.}$

Storage Storage Store at < -20°C, stable for 6 months. Please minimize freeze-thaw cycles.

Shipping This product is provided as liquid. It is shipped at frozen temperature with blue ice/gel


packs. Upon receipt, store it immediately at < - 20°C.

Formulation Supplied as a 0.2 µm filtered solution of 50mM HEPES, 150mM NaCl, 2mM DTT,

10% Glycerol, pH 7.5.

Reconstitution Not Applicable

Data



> 95 % as determined by reducing SDS-PAGE.

Background

Ubiquitin-Conjugating Enzyme E2 G2 (UBE2G2) is an important cellular mechanism for targeting abnormal or short-lived proteins for degradation, which belong to the ubiquitin-conjugating enzyme family. It shares 60% and 100% sequence identity with S.cerevisiae Ubc7 and mouse respectively. The UBE2G2 enzyme and the GP78 E3 ligase are active components of endoplasmic reticulum-associated degradation pathway which is essential for the degradation of misfolded ER proteins. The mechanism of K48-linked poly-ubiquitination by UBE2G2/GP78 appears to involve the transfer of preassembled Ub chains from UBE2G2 to lysine residues in a substrate. The E2 and E3 enzymes form a large hetero-oligomer which brings multiple UBE2G2 molecules into close proximity which allows for Ub transfer between neighboring E2s.

For Research Use Only