## PER3 Polyclonal Antibody

catalog number: E-AB-19010



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description			
Reactivity	Human;Mouse;Rat		
Immunogen	Fusion protein of human PER3		
Host	Rabbit		
Isotype	IgG		
Purification	Antigen affinity purification		
Conjugation	Unconjugated		
buffer	Phosphate buffered solution	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.	
Applications Recommended Dilution			
IHC	1:50-1:300		
Data			
esophagus cancer tissue u dilutio	y of paraffin-embedded Human using PER3 Polyclonal Antibody at on of 1:55(×200)	Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using PER3 Polyclonal Antibody at dilution of 1:55(×200)	
Preparation & Storage			
Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.		
Shipping	The product is shipped with ice pack, upon receipt, store it immediately at the		
temperature recommended.		l.	
Background			
This gene is a member of the Period family of genes and is expressed in a circadian pattern in the suprachiasmatic			

This gene is a member of the Period family of genes and is expressed in a circadian pattern in the suprachiasmatic nucleus, the primary circadian pacemaker in the mammalian brain. Genes in this family encode components of the circadian rhythms of locomotor activity, metabolism, and behavior. This gene is upregulated by CLOCK/ARNTL heterodimers but then represses this upregulation in a feedback loop using PER/CRY heterodimers to interact with CLOCK/ARNTL. Polymorphisms in this gene have been linked to sleep disorders. Multiple transcript variants encoding different isoforms have been found for this gene.

## For Research Use Only