






Recombinant CD16a Monoclonal Antibody

catalog number: **AN301467L**

Note: *Centrifuge before opening to ensure complete recovery of vial contents.*

Description	
Reactivity	Human
Immunogen	Recombinant human CD16a fragment
Host	Rabbit
Isotype	IgG, κ
Clone	C321090
Purification	Protein A purified
Buffer	PBS, 50% glycerol, 0.05% Proclin 300, 0.05% protein protectant.
Applications	
WB	1:500-1:1000
IHC	1:200-1:1000

Data	
 Western Blot with CD16a Monoclonal Antibody at dilution of 1:1000. Lane 1: Jurkat Observed-MW:50-70 kDa Calculated-MW:29 kDa	 Immunohistochemistry of paraffin-embedded Human liver using CD16a Monoclonal Antibody at dilution of 1:1000.
 Immunohistochemistry of paraffin-embedded Human spleen using CD16a Monoclonal Antibody at dilution of 1:1000.	 Immunohistochemistry of paraffin-embedded Human cervical cancer using CD16a Monoclonal Antibody at dilution of 1:1000.
 Immunohistochemistry of paraffin-embedded Human liver cancer using CD16a Monoclonal Antibody at dilution of 1:1000.	

For Research Use Only

Toll-free: 1-888-852-8623
Web: www.elabscience.com

Tel: 1-832-243-6086
Email: techsupport@elabscience.com

Fax: 1-832-243-6017

Rev. V1.1

Preparation & Storage

Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	Ice bag

Background

Receptor for the Fc region of IgG. Binds complexed or aggregated IgG and also monomeric IgG. Mediates antibody-dependent cellular cytotoxicity (ADCC) and other antibody-dependent responses, such as phagocytosis.

For Research Use Only

Toll-free: 1-888-852-8623
Web: www.elabscience.com

Tel: 1-832-243-6086
Email: techsupport@elabscience.com

Fax: 1-832-243-6017

Rev. V1.1