A Reliable Research Partner in Life Science and Medicine

# uPAR Monoclonal Antibody(Capture)

catalog number: AN002100P

Note: Centrifuge before opening to ensure complete recovery of vial contents.

## Description

**Reactivity** Human

Immunogen Recombinant Human uPAR protein expressed by Mammalian

HostRatIsotypeRat IgG1Clone5E5


**Purification** Protein A/G Purification

**Buffer** Phosphate buffered solution, pH 7.2, containing 0.05% Proclin 300.

**Applications** Recommended Dilution

**ELISA Capture** 2-8 μg/mL

### Data



Sandwich ELISA-Recombinant Human uPAR protein standard curve.Background subtracted standard curve using uPAR antibody(AN002100P)(Capture),uPAR antibody(AN002110P)(Detector) in sandwich ELISA.The reference range value for Recombinant Human uPAR protein is 0.16-10 ng/mL.

# Preparation & Storage

Storage Storage Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /

thaw cycles.

**Shipping** The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

## Background

This gene encodes the receptor for urokinase plasminogen activator and, given its role in localizing and promoting plasmin formation, likely influences many normal and pathological processes related to cell-surface plasminogen activation and localized degradation of the extracellular matrix. It binds both the proprotein and mature forms of urokinase plasminogen activator and permits the activation of the receptor-bound pro-enzyme by plasmin. The protein lacks transmembrane or cytoplasmic domains and may be anchored to the plasma membrane by a glycosyl-phosphatidylinositol (GPI) moiety following cleavage of the nascent polypeptide near its carboxy-terminus. However, a soluble protein is also produced in some cell types. Alternative splicing results in multiple transcript variants encoding different isoforms. The proprotein experiences several post-translational cleavage reactions that have not yet been fully defined.

### For Research Use Only