

Recombinant Human Cyclophilin A Protein

Catalog Number: PKSH033420



Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Species	Human
Mol_Mass	18.0 kDa
Accession	P62937
Bio-activity	Not validated for activity

Properties

Purity	> 95 % as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.
Storage	Store at < -20°C, stable for 6 months. Please minimize freeze-thaw cycles.
Shipping	This product is provided as liquid. It is shipped at frozen temperature with blue ice/gel packs. Upon receipt, store it immediately at < - 20°C.
Formulation	Supplied as a 0.2 µm filtered solution of PBS, 10% Glycerol, pH 7.4.
Reconstitution	Not Applicable

Data



> 95 % as determined by reducing SDS-PAGE.

Background

Peptidyl-prolyl cis-trans isomerase A is a member of the peptidyl-prolyl cis-trans isomerase (PPIase) family; which catalyzes the cis-trans isomerization of proline imidic peptide bonds. Cyclophilin A regulate many biological processes; including intracellular signaling; transcription; inflammation; and apoptosis. Cyclophilin is also incorporated into many viruses; including HIV1; where it has been speculated to be involved in functions such as viral assembly and infectivity.

The immunosuppressive activity of cyclosporins has been correlated with their ability to form complexes with cyclophilins that inhibit calcineurin phosphatase activity and prevent incorporation of cyclophilin into viral particles. The cyclosporin/cyclophilin complex selectively binds and inactivates calcineurin; making it a useful inhibitor for studying calcineurin activity.

For Research Use Only