## Recombinant Rhesus Macaque TNF Receptor II/TNF RII/TNFRSF1B/CD120b (C-Fc)

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Catalog Number: PKSQ050114



Description		
Species	Rhesus Macaque	
Mol_Mass	52.0 kDa	
Accession	F7EAF8	
Bio-activity	Not validated for activity	
Properties		
Purity	> 95 % as determined by reducing SDS-PAGE.	
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.	
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80	
	°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of	
	reconstituted samples are stable at $< -20^{\circ}$ C for 3 months.	
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.	
Formulation	Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.	
	Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants	
	before lyophilization.	
	Please refer to the specific buffer information in the printed manual.	
Reconstitution	Please refer to the printed manual for detailed information.	

Da	MK	R
120 90		_
60		-
40		
30		
20		
14	_	

k

> 95 % as determined by reducing SDS-PAGE.

## Background

Tumor Necrosis Factor Receptor Superfamily Member 1B (TNFRSF1B) is a member of the Tumor Necrosis Factor Receptor Superfamily. TNFRSF1B contains four TNFR-Cys repeats. TNFRSF1B can be cleaved into the following 2 chains: Tumor necrosis factor receptor superfamily member 1b and membrane form and Tumor necrosis factor-binding protein 2. TNFRSF1B is a receptor with high affinity for TNFSF2/TNF- $\alpha$  and approximately 5-fold lower affinity for homotrimeric TNFSF1/lymphotoxin- $\alpha$ . TNFRSF1B mediates most of the metabolic effects of TNF- $\alpha$ . TNF- $\alpha$ -induced apoptosis suggests that it regulates TNF- $\alpha$  function by antagonizing its biological activity.

## For Research Use Only