普诺赛[®] Procell system

RANKL/TRANCE/TNFSF11 (N-6His), Mouse, Recombinant

Cat. No.: GPCK061

产品信息

物种

Human Cells Cell system 表达宿主

序列信息 Arg43-Asp287 检索号 BAA97257.1

标签 N-6His 分子量 28.3kDa 有效期 12 months

生物活性 Loaded Recombinant Human OPG-Fc on Pro A Biosensor, can bind Mouse RANKL-His

with an affinity constant of 1.02 pM as determined in BLI assay.

产品特性

内毒素(EU/μg) < 0.1

保存 Lyophilized protein should be stored at -5~-20°C, stable for one year after receipt.

Reconstituted protein solution can be stored at 2-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at -5~-20°C for 3 months.

运输 Ambient temperature or ice pack.

制剂 Lyophilized from a 0.2 µm filtered solution of 20 mM Tris-HCl, 8% Trehalose, 2% Mannitol,

0.05% Tween80, pH 9.0.

复溶 Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not

> recommended to reconstitute to a concentration less than 100 $\mu g/mL$. Dissolve the lyophilized protein in sterile water. Please aliquot the reconstituted solution to minimize

freeze-thaw cycles.

Mouse tumor necrosis factor Ligand superfamily member 11 (Tnfsf11) is a member of the tumor necrosis factor (TNF) Cytokine family. Tnfsf11 is widely expressed in cells including T cells and T cell rich organs, such as thymus and lymph nodes. This Cytokine can bind to TNFRSF11B/OPG andTNFRSF11A/RANK. Tnfsf11 is involved in a number of fundamental biological processes such as acting as regulator of interactions between T-cells and dendritic cells, the regulation of the T-cell-dependent immune response and enhancing bone-resorption in humoral hypercalcemia of malignancy. It augments the ability of dendritic cells to stimulate naive T-cell proliferation.

网站: www.procell.com.cn 电话: 400-999-2100

邮箱: techsupport@procell.com.cn

地址: 湖北省武汉市高新大道858号生物医药产业园三期C4栋



