

Cleaved-CASP3 p17 (D175) Polyclonal Antibody

catalog number: E-AB-30004

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity	Human;Mouse;Rat
Immunogen	Synthesized peptide derived from the Internal region of human Caspase-3 p17
Host	Rabbit
Isotype	IgG
Purification	Affinity purification
Conjugation	Unconjugated
buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer, 0.5% protein protectant and 50% glycerol.

Applications

Recommended Dilution


WB	1:500-2000
IHC	1:50-300
IF	1:50-300

Data




Western Blot analysis of various cells using Cleaved-CASP3 p17 (D175) Polyclonal Antibody at dilution of 1:1000.

Observed-MV:20 kDa
Calculated-MV:32 kDa



Immunofluorescence analysis of Rat liver tissue using Cleaved-CASP3 p17 (D175) Polyclonal Antibody at dilution of 1:200.



Immunohistochemistry of paraffin-embedded Human stomach cancer tissue using Cleaved-CASP3 p17 (D175) Polyclonal Antibody at dilution of 1:200.

Preparation & Storage

Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended.

Background

For Research Use Only

Cleaved-CASP3 p17 (D175) Polyclonal Antibody

catalog number: E-AB-30004



Involved in the activation cascade of caspases responsible for apoptosis execution. At the onset of apoptosis it proteolytically cleaves poly(ADP-ribose) polymerase (PARP) at a '216-Asp-Gly-217' bond. Cleaves and activates sterol regulatory element binding proteins (SREBPs) between the basic helix-loop-helix leucine zipper domain and the membrane attachment domain. Cleaves and activates caspase-6, -7 and -9. Involved in the cleavage of huntingtin.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine
Tel: 400-999-2100

Email: techsupport@elabscience.cn

Web: www.elabscience.cn

Rev. V1.7