



A Reliable Research Partner in Life Science and Medicine

# Purified Anti-Mouse CD48 Antibody[HM48-1]

catalog number: E-AB-F1017A

Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### Description

**Reactivity** Mouse

Host Armenian Hamster Isotype Armenian Hamster IgG

Clone HM48-1
Conjugation Unconjugated


**Buffer** Phosphate-buffered solution, pH 7.2, containing 0.05% non-protein stabilizer.

Dialyze to completely remove the stabilizer prior to labeling.

# Applications Recommended Dilution

FCM  $2 \mu g/mL(0.5 \times 10^6 - 1 \times 10^6 \text{ cells})$ 

#### Data



C57/BL6 Mouse splenocytes were stained with 0.2 μg Purified Anti-Mouse CD48 Antibody[HM48-1] (Right) and 0.2 μg Armenian Hamster IgG, κ Isotype Control (Left), followed by PE-conjugated Goat Anti-Armenian Hamster IgG

Secondary Antibody.

## **Preparation & Storage**

Storage Storage, avoid freeze /

thaw cycles.

Shipping Ice bag

### **Background**

CD48 is a 45 kD GPI-anchored glycoprotein also known as BCM1, Blast-1 (human), and OX-45 (rat). It is a member of the lg superfamily, expressed on T and B cells and monocytes/macrophages. It plays a role in adhesion and T cell recognition. The primary ligands for CD48 are CD2 and CD244.

Email: techsupport@elabscience.cn