



## AF/LE Purified Anti-Mouse CD115/CSF-1R Antibody[AFS98]

catalog number: E-AB-F11070

Note: Centrifuge before opening to ensure complete recovery of vial contents.

<b>D</b>	•	4.0
I IAC	CPH	otion
DCS.		

**Reactivity** Mouse **Host** Rat

 $\begin{array}{lll} \textbf{Isotype} & \text{Rat IgG2a, } \kappa \\ \textbf{Clone} & \text{AFS98} \\ \textbf{Conjugation} & \text{None (AF/LE)} \end{array}$ 

**Buffer** Sterile PBS, pH 7.2. < 1.0 EU per mg of the antibody as determined by the LAL method

•

## **Preparation & Storage**

Storage Storage Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /

thaw cycles. This preparation contains no preservatives, thus it should be handled

under aseptic conditions.

**Shipping** Ice bag

## Background

CSF-1R, also known as CD115 and M-CSFR, is a single-pass type I membrane protein and member of the platelet-derived growth factor receptor family. This c-fms (Fms proto-oncogene) gene product's natural ligands include M-CSF and IL-34. Structural studies of CD115 have described an Ig-like extracellular domain, a transmembrane domain, an intracellular juxtamembrane domain, a split tyrosine kinase domain, and a C-terminal tail receptor. Receptor activation induces homodimerization in addition to phosphorylation and ubiquitination of intracellular residues. CD115 directly influences tissue macrophage and osteoclast differentiation and proliferation. It is expressed on monocytes/macrophages, peritoneal exudate cells, plasmacytoid and conventional dendritic cells, and osteoclasts.

For Research Use Only