## **Elabscience**®

## FAH Polyclonal Antibody

## catalog number: E-AB-52634

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description			
Reactivity	Human;Mouse;Rat		
Immunogen	Fusion protein of human FAH		
Host	Rabbit		
Isotype	IgG		
Purification	Antigen affinity purification		
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer ar	nd 50% glycerol.	
Applications	Recommended Dilution		
WB	1:500-1:2000		
IHC	1:50-1:300		
Data			
	kDa 130—		
	95—		
	72—	W. A	
	55—		
	36—		
	28-	200	
<b>XX</b> , <b>11</b> , <b>1</b> , <b>6</b>	17—		
	Human liver tissue lysate using FAH Immunohistochemistry of paraffin-embed		
	tibody at dilution of 1:700 cancer tissue using FAH Polyclonal Anti	body at dilution of	
<b>Observed-MW:Refer to figures</b> 1:40(×200)			
Calculated-MW:46 kDa			
Preparation & Storage			
Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.	
Shipping	The product is shipped with ice pack, upon receipt, store it immedia	duct is shipped with ice pack, upon receipt, store it immediately at the	
	temperature recommended.		
Reckground			

Background

This gene encodes the last enzyme in the tyrosine catabolism pathway.FAH deficiency is associated with Type 1 hereditary tyrosinemia (HT).