FAH Polyclonal Antibody

catalog number: **E-AB-52634**

Note: *Centrifuge before opening to ensure complete recovery of vial contents.*

Description

Reactivity	Human;Mouse;Rat
Immunogen	Fusion protein of human FAH
Host	Rabbit
Isotype	Rabbit IgG
Purification	Antigen affinity purification
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

Applications	Recommended Dilution
WB	1:500-1:2000
IHC	1:50-1:300

Data



Western blot analysis of Human liver tissue lysate using FAH Polyclonal Antibody at dilution of 1:700

Observed-MW:Refer to figures

Calculated-MW:46 kDa



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using FAH Polyclonal Antibody at dilution of 1:40(×200)

Preparation & Storage

Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack,upon receipt,store it immediately at the temperature recommended.

Background

This gene encodes the last enzyme in the tyrosine catabolism pathway.FAH deficiency is associated with Type 1 hereditary tyrosinemia (HT).

Toll-free: 1-888-852-8623
Tel: 1-832-243-6086
Fax: 1-832-243-6017
Web: www.elabscience.com
Email: techsupport@elabscience.com