## Elabscience Biotechnology Co., Ltd.



A Reliable Research Partner in Life Science and Medicine

# AF/LE Purified Anti-Human CD200R1 Antibody[OX-108]

catalog number: E-AB-F14750

Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### Description

Reactivity Human

Immunogen Recombinant Human CD200R1 protein

Host Mouse

Isotype Mouse IgG1,κ

Clone OX-108

**Purification** >98%, Protein A/G purified

Conjugation None (AF/LE)


Buffer Sterile PBS, pH 7.2. < 1.0 EU per mg of the antibody as determined by the LAL

method.

### Applications Recommended Dilution

FCM  $2 \mu g/mL(0.5 \times 10^6 - 1 \times 10^6 \text{ cells})$ 

#### Data



Human peripheral blood lymphocytes were stained with 0.2 μg AF/LE Purified Anti-Human CD200R1 Antibody[OX-108] (Right) and 0.2 μg Mouse IgG1, κ Isotype Control (Left),

followed by Elab Fluor  $^{\rm ll}$  647-conjugated Goat Anti-Mouse IgG Secondary Antibody, then anti-Human CD3 PerCP-

conjugated Monoclonal Antibody.

### **Preparation & Storage**

Storage Storage Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /

thaw cycles. This preparation contains no preservatives, thus it should be handled

under aseptic conditions.

Shipping Ice bag

### **Background**

CD200R, also known as OX2R, is a membrane glycoprotein with up to 70% of its weight derived from N-linked glycosylation. CD200R is expressed primarily by monocytes and neutrophils but also by other leukocytes including T lymphocytes and mast cells. The interaction between CD200 and CD200R may contribute to pathways that suppress and limit macrophage induced inflammatory damage in tissue. Studies suggest that CD200-CD200R interaction may be involved in the control of myeloid cellular function. Levels of expression on resting peripheral blood cells are relatively low.

Email: techsupport@elabscience.cn