A Reliable Research Partner in Life Science and Medicine

Purified Anti-Mouse CD5 Antibody[53-7.3]

catalog number: E-AB-F1185A

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Mouse

Immunogen Recombinant Mouse CD5 protein

Host Rat

Isotype Rat IgG2a, κ **Clone** 53-7.3

Purification >98%, Protein A/G purified


Buffer Phosphate-buffered solution, pH 7.2, containing 0.05% non-protein stabilizer. Dialyze

to completely remove the stabilizer prior to labeling.

Applications Recommended Dilution

FCM $2 \mu g/mL(1 \times 10^5 - 5 \times 10^5 \text{ cells})$

Data



C57/BL6 Mouse splenocytes were stained with 0.2 μg
Purified Anti-Mouse CD5 Antibody[53-7.3] (Right) and 0.2
μg Rat IgG2a, κ Isotype Control (Left), followed by Alexa
Fluor® 647-conjugated Goat Anti-Rat IgG Secondary
Antibody, then anti-Mouse CD3 PE-conjugated Monoclonal
Antibody.

Preparation & Storage

Storage Storage Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /

thaw cycles.

Shipping Ice bag

Background

CD5 is a 67 kD protein, also known as Lyt-1, Ly-1, T1, Tp67, or Ly-12. It is a member of the scavenger receptor cysteinerich protein superfamily (SRCR) and primarily expressed on thymocytes, T cells, and B-1 cells. Although mature α/β T cells express high levels of CD5, very few γ/δ T cells express this antigen. The interaction of CD5 with CD72, gp35-37, TCR, or BCR is involved in T and B cell activation.

For Research Use Only

Fax: 1-832-243-6017