

## Recombinant Mouse FLT3LG/Flt3 Ligand Protein (Fc Tag)

**Catalog Number:** PKSM041023

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.


### Description

<b>Species</b>	Mouse
<b>Source</b>	HEK293 Cells-derived Mouse FLT3LG/Flt3 Ligand protein Gly27-Arg188 , with an C-terminal Fc
<b>Calculated MW</b>	45.5 kDa
<b>Observed MW</b>	58-70 kDa
<b>Accession</b>	P49772
<b>Bio-activity</b>	Not validated for activity

### Properties

<b>Purity</b>	> 95 % as determined by reducing SDS-PAGE.
<b>Endotoxin</b>	< 1.0 EU per µg of the protein as determined by the LAL method.
<b>Storage</b>	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
<b>Shipping</b>	This product is provided as lyophilized powder which is shipped with ice packs.
<b>Formulation</b>	Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4. Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
<b>Reconstitution</b>	Please refer to the printed manual for detailed information.

### Data



> 95 % as determined by reducing SDS-PAGE.

### Background

Fms-related tyrosine kinase 3 ligand(Flt3L) is a single-pass type I membrane protein and consists of 232 amino acids. Flt3L is a hematopoietic four helical bundle cytokine, structurally homologous to stem cell factor and colony stimulating factor. Flt3L synergizes well with a number of other colony stimulating factors and interleukins. Flt3L stimulates the proliferation and differentiation of various blood cell progenitors by activating FLT3.

### For Research Use Only