A Reliable Research Partner in Life Science and Medicine

# Recombinant Human CD200R1 Protein (His Tag)

Catalog Number: PKSH033375

Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### **Description**

**Species** Human

Source HEK293 Cells-derived Human CD200R1 protein Ala27-Leu266, with an C-terminal His

Calculated MW 27.8 kDa Observed MW 50-80 kDa Accession AAH697211

**Bio-activity** Not validated for activity

### **Properties**

**Purity** > 95 % as determined by reducing SDS-PAGE.

< 1.0 EU per  $\mu g$  of the protein as determined by the LAL method. Endotoxin

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

This product is provided as lyophilized powder which is shipped with ice packs. Shipping Lyophilized from a 0.2 µm filtered solution of 20mM PB, 150mM NaCl, pH 7.4. Formulation


Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants

before lyophilization.

Please refer to the specific buffer information in the printed manual.

Please refer to the printed manual for detailed information. Reconstitution

### Data



> 95 % as determined by reducing SDS-PAGE.

## Background

Cell surface glycoprotein CD200 Receptor 1 (CD200R1) is the receptor for the CD200 (OX-2) membrane glycoprotein. CD200R1 contains one C2-type Ig-like domain and one V-type Ig-like domain within its extracellular domain and a PTBsignaling motif in cytoplasmic domain. CD200R1 and CD200 associate via their respective N-terminal Ig-like domains. CD200R1 is restricted primarily to mast cells, basophils, macrophages, and dendritic cells. It propagates inhibitory signals despite its lacking a cytoplasmic ITIM (immunoreceptor tyrosinebased inhibitory motif). The receptor-substrate interaction may function as a myeloid downregulatory signal.

#### For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017