## **Elabscience Biotechnology Co., Ltd.**





# Purified Anti-Mouse IL-17A Antibody[17F3]

Catalog Number: GF1272A

Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### **Description**

**Reactivity** Mouse

Immunogen Recombinant Mouse IL-17A protein

**Host** Mouse

**Isotype** Mouse IgG1, κ

Clone 17F3

**Purification** >98%, Protein A/G purified

**Conjugation** Unconjugated


Buffer Phosphate-buffered solution, pH 7.2, containing 0.05% non-protein stabilizer.

Dialyze to completely remove the stabilizer prior to labeling.

Applications Recommended Dilution

FCM  $2 \mu g/mL(0.5 \times 10^6 - 1 \times 10^6 \text{ cells})$ 

#### Data



HEK293T cells transfected with pcDNA3.1 plasmid encoding Mouse IL-17A gene were stained with 0.2 μg Purified Anti-Mouse IL-17A Antibody[17F3] (Right) and 0.2 μg Mouse

IgG1, κ Isotype Control (Left), followed by Elab Fluor<sup>®</sup> 647-conjugated Goat Anti-Mouse IgG Secondary Antibody.

## **Preparation & Storage**

Storage Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid

freeze / thaw cycles.

Shipping Ice bag

### **Background**

The 17F3 monoclonal antibody reacts with mouse IL-17A a 15-20 kDa cytokine expressed by Th17 cells, γδ T cells, iNKT cells, NK cells, LTi cells, neutrophils, and intestinal Paneth cells. IL-17A has pleiotropic effects in immunoregulation and inflammation. It plays an important role in anti-microbial and chronic inflammation by inducing cytokine and chemokine production, neutrophil influx, and the production of antibacterial peptides but it is also an inflammatory mediator in the development of autoimmune diseases including rheumatoid arthritis, asthma, multiple sclerosis, and psoriasis. The 17F3 antibody has been shown to neutralize IL-18A in vivo.