



A Reliable Research Partner in Life Science and Medicine

Mouse LTF/LF Antibody Pair Set

Catalog No. E-KAB-0088 Applications ELISA

Synonyms LTF, GIG12, HLF2, LF, Lactotransferrin

Kit components & Storage

Title	Specifications	Storage
Mouse LTF/LF Capture Antibody	1 vial, 100 μ g	Store at -20°C for one year.
		Avoid freeze / thaw cycles.
Mouse LTF/LF Detection Antibody	1 vial, 50 μL	Store at -20°C for one year.
(Biotin)		Avoid freeze / thaw cycles.

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Product Information

Items		Characteristic (E-KAB-0088)		
		Mouse LTF/LF Capture Antibody	Mouse LTF/LF Detection Antibody (Biotin)	
T	T	D LTE/LE	` '	
Immunogen	Immunogen	Recombinant Mouse LTF/LF protein	Recombinant Mouse LTF/LF protein	
Information	Swissprot	P08071		
Product details	Reactivity	Mouse	Mouse	
	Host	Rabbit	Rabbit	
	Conjugation	Unconjugated	Biotin	
	Concentration	0.5mg/mL	/	
	Buffer	PBS with 0.04% Proclin 300, 50%	PBS with 0.04% Proclin 300, 1%	
		glycerol, pH 7.4	protective protein, 50% glycerol, pH	
			7.4	
	Purify	Protein A & Antigen Affinity	Protein A & Antigen Affinity	
	Specificity	Detects Mouse LTF/LF in ELISAs.		

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Web: www.elabscience.com Email: techsupport@elabscience.com



Fax: 1-832-243-6017



A Reliable Research Partner in Life Science and Medicine

Applications

Mouse LTF/LF Sandwich ELISA Assay:

	Recommended	Reagent	Images
	Concentration/Dilution		
ELISA	0.5-4μg/mL	Mouse LTF/LF Capture Antibody	
Capture			Alisa
ELISA Detection	1:1000-1:10000	Mouse LTF/LF Detection Antibody (Biotin)	Nouse LTF/LF concentration(pg/mL)

Note: This standard curve is only for demonstration purposes. A standard curve should be generated for each assay!

Background

LTF(Lactotransferrin) is also named as GIG12, LF and belongs to the transferrin family. It is an iron binding transport protein which can bind two atoms of ferric iron in association with the binding of an anion, usually bicarbonate. LTF is also an important protein component of the innate immune system that is broadly distributed within the body fluids. It can contribute to the activation of both the innate and adaptive immune responses by promoting the recruitment of leukocytes and activation of dendritic cells. This protein has 2 isoforms produced by alternative promoter usage. The human LTF can be isolated two fragments, an N-terminal tryptic fragment having an MW of 30 kDa and a C-terminal tryptic fragment having an MW of 50 kDa by a mild tryptic digest.

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086
Web: www.elabscience.com
Email: techsupport@elabscience.com