Elabscience®

Human PL Antibody Pair Set

Catalog No.E-KAB-0518ApplicationsELISASynonymschorionic somatomammotropin;Chorionic somatomammotropin hormone
1;Choriomammotropin;Lactogen

Kit components & Storage

Title	Specifications	Storage
Human PL Capture Antibody	1 vial, 100 µ g	Store at -20°C for one year. Avoid
		freeze/thaw cycles.
Human PL Detection Antibody (Biotin)	1 vial, 50 μL	Store at -20°C for one year. Avoid
		freeze/thaw cycles.

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Product Information

Items		Characteristic (E-KAB-0518)	
		Human PL Capture Antibody	Human PL Detection Antibody (Biotin)
Immunogen	Immunogen	Recombinant Human PL protien	Recombinant Human PL protien
Information	Swissprot	P0DML2	
Product details	Reactivity	Human	Human
	Host	Rabbit	Rabbit
	Conjugation	Unconjugated	Biotin
	Concentration	0.5 mg/mL	/
	Buffer	PBS with 0.04% Proclin 300; 50%	PBS with 0.04% Proclin 300; 1%
		glycerol; pH 7.5	protective protein; 50% glycerol; pH
			7.5
	Purify	Antigen Affinity	Antigen Affinity
	Specificity	Detects Human PL in ELISAs.	

For Research Use Only

Elabscience®

Applications

Human PL Sandwich ELISA Assay

	Recommended	Reagent	Images
	Concentration/Dilution		
ELISA	0.5-4 μg/mL	Human PL Capture Antibody	
Capture			10
			Optical Density
ELISA	1:1000-1:10000	Human PL Detection	
Detection		Antibody (Biotin)	0.1
			0.1 1 10 100 1000
			Huamn PL Concentration (ng/mL)

Note: This standard curve is only for demonstration purposes. A standard curve should be generated for each assay!

Background

The protein encoded by this gene is a member of the somatotropin/prolactin family of hormones and plays an important role in growth control. The gene is located at the growth hormone locus on chromosome 17 along with four other related genes in the same transcriptional orientation , an arrangement which is thought to have evolved by a series of gene duplications. Although the five genes share a remarkably high degree of sequence identity , they are expressed selectively in different tissues. Alternative splicing generates additional isoforms of each of the five growth hormones , leading to further diversity and potential for specialization.

For Research Use Only