HO1/HMOX1 Polyclonal Antibody

catalog number: AN000380P



Note: Centrifuge before opening to ensure complete recovery of vial contents.

110	C C	TO THE	\mathbf{n}	\mathbf{n}
De		ш	JUL	υш

Reactivity Human; Mouse

Immunogen Recombinant Human HO1/HMOX1 protein expressed by E.coli

Host Rabbit
Isotype Rabbit IgG

Purification Antigen Affinity Purification


Conjugation Unconjugated

buffer Phosphate buffered solution, pH 7.2, containing 0.05% proclin 300.

Applications	Recommended Dilution
WB	1:500-1:1000
IHC	1:500-1:1000
ELISA Capture	2-8 μg/mL
ELISA Detector	0.1 - $0.4 \mu\mathrm{g/mL}$

Data






Western Blot with HO1 Polyclonal Antibody at dilution of 1:500.Lane 1:A549 cell lysate,Lane 2:NIH-3T3 cell lysate

Immunohistochemistry of paraffin-embedded Human breast cancer using HO1 Polyclonal Antibody at dilution of 1:1000

Observed-MV:25 kDa Calculated-MV:33 kDa



Sandwich ELISA-Recombinant Human HO1/HMOX1 protein standard curve.Background subtracted standard curve using HO1/HMOX1 antibody(AN000380P) (Capture),HO1/HMOX1 antibody(AN000380P)(Detector) in sandwich ELISA.The reference range value for Recombinant Human HO1/HMOX1 protein is 0.31-20 ng/mL.

Preparation & Storage

Storage Storage Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /

thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

For Research Use Only

HO1/HMOX1 Polyclonal Antibody

catalog number: AN000380P



Background

Heme Oxygenase (HO), also known as HMOX, is the rate limiting enzyme in the breakdown of heme into Biliverdin, CO, and iron. There are two major isoforms of this enzyme, HO-1 and HO-2. Both have similar enzymatic activity, however, HO-1 is rapidly inducible, while HO-2 is constitutively expressed. Inducers of HO-1 include cell stressors such as oxidative stress, infection, hypoxia, and cytotoxic agents. The reaction products generated by HO-1 activity are biologically active, and the enzyme has a broad range of putative roles. For instance, Biliverdin is an antioxidant with cytoprotective and ant i-inflammatory properties, and CO has the potential to suppress inflammation and apoptosis. Because of these activities, HO-1 has received much attention as a therapeutic target for a range of pathological processes.