A Reliable Research Partner in Life Science and Medicine

Galectin 3 Polyclonal Antibody

catalog number: E-AB-40350

Note: Centrifuge before opening to ensure complete recovery of vial contents.

ъ .	
Descri	ntion
	DULUL

Reactivity Human; Mouse; Rat

Immunogen Recombinant Mouse Galectin-3 protein

Host Rabbit Isotype IgG

Purification Antigen Affinity Purification


Conjugation Unconjugated

Buffer PBS with 0.05% Proclin 300, 1% protective protein and 50% glycerol, pH7.4

Applications Recommended Dilution

WB 1:1000-1:2000 **IHC** 1:100-1:400

Data




26 kD→
17 kD→

34 kD-


Western Blot analysis of 1)Hela, 2)MCF-7, 3)HT-29, 4)Mouse Lung using LGALS3 Polycloanl Antibody at dilution of 1:1000

> Observed-MW:27 kDa Calculated-MW:27 kDa




Western Blot analysis of 1)Raw264.7, 2)NIH/3T3 using LGALS3 Polycloanl Antibody at dilution of 1:1000


Observed-MW:27 kDa Calculated-MW:27 kDa



Immunohistochemistry of paraffin-embedded Human lung using LGALS3 Polycloanl Antibody at dilution of 1:200



Immunohistochemistry of paraffin-embedded Mouse lung using LGALS3 Polycloanl Antibody at dilution of 1:200



Immunohistochemistry of paraffin-embedded Mouse spleen using LGALS3 Polycloanl Antibody at dilution of 1:200

Immunohistochemistry of paraffin-embedded Rat lung using LGALS3 Polycloanl Antibody at dilution of 1:200

For Research Use Only



Elabscience Biotechnology Co., Ltd.

A Reliable Research Partner in Life Science and Medicine

Preparation & Storage

Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

Galectins are a family of animal lectins defined by shared characteristic amino-acid sequences and affinity for β -galactose-containing oligosac-charides . Galectin-3 contains one carbohydrate recognition domain (CRD) and a proline-and glycine-rich N-terminal domain through which is able to form oligomers. Galectin-3 is widely expressed in many normal tissues and a variety of tumors. It is found intracellularly in nucleus and cytoplasmor secreted outside of cell, being present on the cell surface or in the extracellular space . Galectin-3 is involved in various biological processes including cell growth,adhesion,differentiation,apoptosis,angiogenesis,immune response,neoplastic transformation and metastasis .