Purified Anti-Human CD47 Antibody[B6H12]

catalog number: E-AB-F14130P



Note: Centrifuge before opening to ensure complete recovery of vial contents.

| Description | |
|---|---|
| Description | |
| Reactivity | Human |
| Immunogen | Recombinant Human CD47 protein |
| Host | Mouse |
| Isotype | Mouse IgGl, ĸ |
| Clone | B6H12 |
| Purification | >98%, Protein A/Gpurified |
| Conjugation | Unconjugated |
| buffer | PBS, pH 7.2. Contains 0.05% proclin 300. |
| Applications | Recommended Dilution |
| FCM | $2 \ \mu g/mL(1 \times 10^5 - 5 \times 10^5 \text{ cells})$ |
| Data | |
| Jurkat were stained with 0.2 μg Purified Anti-Human CD47 Antibody[B6H12] (Right) and 0.2 μg Mouse IgG21, κ Isotype Control (Left), followed by FITC-conjugated Goat Anti-Mouse IgG Secondary Antibody. | |
| Preparation & Storage | |
| Storage | Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze / |
| ~ •••••••••• | thaw cycles. |
| Shinning | Ice bag |
| Shipping | ice bag |

Background

CD47 (also integrin-associated protein/IAP and OA3) is a variably glycosylated, 40-60 kDa atypical member of the Ig-Superfamily. It is expressed on almost all cell types, including erythrocytes. CD47 binds to TSP-1 and SIRP alpha, and forms a membrane complex with CD36 and alpha v beta 3. Mature human CD47 is a 305 amino acid (aa), fivetransmembrane glycoprotein.

For Research Use Only