## **Elabscience**®

## **IDS Polyclonal Antibody**

## catalog number: E-AB-53138

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description			
Reactivity	Human;Mouse		
Immunogen	Fusion protein of human IDS		
Host	Rabbit		
Is otype	IgG		
Purification	Antigen affinity purification		
Conjugation	Unconjugated		
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.		
Applications	Recommended Dilution		
ІНС	1:50-1:200		
Data			
Immunohistochemistry of n	araffin embedded Human brain	Immunohistochemistry of paraffin-embedded Human prost	
Immunohistochemistry of paraffin-embedded Human brain tissue using IDS Polyclonal Antibody at dilution of		ate cancer tissue using IDS Polyclonal Antibody at dilution	
1:70(×200)		of 1:70(×200)	
Preparation & Storage			
Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.		
Shipping		The product is shipped with ice pack, upon receipt, store it immediately at the	
	temperature recommended.		
Background			

Iduronate 2-sulfatase (IDS) is required for the lysosomal degradation of heparan sulfate and dermatan sulfate. Mutations causing IDS deficiency in humans result in the lysosomal storage of these glycosaminoglycans and Hunter syndrome, an X chromosome-linked disease. An internal proteolytic cleavage occurs to produce the mature IDS present in human liver shown to contain a 42 kDa polypeptide N-terminal to a 14 kDa polypeptide.