# **Elabscience**®

## **Histone H4 Polyclonal Antibody**


### catalog number: E-AB-70364

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description	
Reactivity	Human
Immunogen	Recombinant protein corresponding to human Histone H4
Host	Rabbit
Isotype	IgG
Purification	Affinity purification
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer, 1% protein
	protectant and 50% glycerol.

Applications	Recommended Dilution	
IHC	1:300-1:1000	
Data		





Immunohistochemistry analysis of paraffin-embedded human Immunohistochemistry analysis of paraffin-embedded human tonsil using Histone H4 Polyclonal Antibody at dilution of lung cancer using Histone H4 Polyclonal Antibody at





dilution of 1:400.

Immunohistochemistry analysis of paraffin-embedded human Immunohistochemistry analysis of paraffin-embedded human breast using Histone H4 Polyclonal Antibody at dilution of colon cancer using Histone H4 Polyclonal Antibody at

1:400.

- .... of ush

Preparation & Storage	
Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended.

#### Background

### For Research Use Only

Toll-free: 1-888-852-8623 Web:<u>w w w .elabscience.com</u>

# **Elabscience**®

Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a member of the histone H4 family. Transcripts from this gene lack polyA tails; instead, they contain a palindromic termination element.

For Research Use Only