# **Elabscience Biotechnology Co., Ltd.**



A Reliable Research Partner in Life Science and Medicine

# Purified Anti-Mouse CD3 Antibody[17A2]

Catalog Number: GF1013A

Note: Centrifuge before opening to ensure complete recovery of vial contents.

## Description

**Reactivity** Mouse

Immunogen Recombinant Mouse CD3 protein

**Host** Rat

**Isotype** Rat IgG2b, κ

Clone 17A2

**Purification** >98%, Protein A/G purified

**Conjugation** Unconjugated


**Buffer** Phosphate-buffered solution, pH 7.2, containing 0.05% non-protein stabilizer.

Dialyze to completely remove the stabilizer prior to labeling.

## Applications Recommended Dilution

FCM  $2 \mu g/mL(0.5 \times 10^6 - 1 \times 10^6 \text{ cells})$ 

#### **Data**



C57/BL6 Mouse splenocytes were stained with 0.2 µg Purified Anti-Mouse CD3 Antibody[17A2](Right) and 0.2 µg

Rat IgG2b, κ Isotype Control(Left), followed by Elab Fluor<sup>®</sup> 647-conjugated Goat Anti-Rat IgG Secondary Antibody, then anti-Mouse CD8 FITC-conjugated Monoclonal Antibody.

## **Preparation & Storage**

Storage Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid

freeze / thaw cycles.

Shipping Ice bag

#### **Background**

CD3, also known as T3, is a member of the lg superfamily and primarily expressed on T cells, NK-T cells, and at different levels on thymocytes during T cell differentiation. CD3 is composed of CD3 $\epsilon$ ,  $\delta$ ,  $\gamma$  and  $\zeta$  chains. It forms a TCR complex by associating with TCR  $\alpha/\beta$  or  $\gamma/\delta$  chains. CD3 plays a critical role in TCR signal transduction, T cell activation, and antigen recognition by binding the peptide/MHC antigen complex.