# **CTDP1 Polyclonal Antibody**

catalog number: E-AB-17955




Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Human;Mouse
Immunogen	Synthetic peptide of human CTDP1
Host	Rabbit
Is otype	IgG
Purification	Antigen affinity purification
Conjugation	Unconjugated
buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

Applications	<b>Recommended Dilution</b>
WB	1:500-1:2000
IHC	1:50-1:300

#### Data






Western blot analysis of HEPG2 cell lysate using CTDP1

## Polyclonal Antibody at dilution of 1:500

**Observed-MV: Refer to figures** 

### Calculated-MV:104 kDa



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using CTDP1 Polyclonal Antibody at dilution of 1:55(×200)

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using CTDP1 Polyclonal Antibody at dilution of 1:55(×200)

Preparation & Storage	
Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended.

#### Background

This gene encodes a protein which interacts with the carboxy-terminus of the RAP74 subunit of transcription initiation factor TFIIF, and functions as a phosphatase that processively dephosphorylates the C-terminus of POLR2A (a subunit of RNA polymerase II), making it available for initiation of gene expression. Mutations in this gene are associated with congenital cataracts, facial dysmorphism and neuropathy syndrome (CCFDN). Alternatively spliced transcript variants encoding different isoforms have been described for this gene.

# For Research Use Only