Recombinant Human Arginase-1 Protein (His Tag)

Catalog Number: PDEH100715



Note: Centrifuge before opening to ensure complete recovery of vial contents.

		crip				
	00	CI	РΤ	n	tπ	Λn
JU.	\mathbf{c}	v.		w	ш	UП

 Species
 Human

 Mol_Mass
 36.9 kDa

 Accession
 P05089

Bio-activity Not validated for activity

Properties

Purity > 90% as determined by reducing SDS-PAGE.

Endotoxin < 10 EU/mg of the protein as determined by the LAL method

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

Shipping This product is provided as liquid. It is shipped at frozen temperature with blue ice/gel

packs. Upon receipt, store it immediately at < - 20°C.


Formulation Lyophilized from a 0.2 μm filtered solution in PBS with 5% Trehalose and 5%

Mannitol

Reconstitution It is recommended that sterile water be added to the vial to prepare a stock solution of

0.5 mg/mL. Concentration is measured by UV-Vis.

Data



> 90 % as determined by reducing SDS-PAGE.

Background

Arginase 1, also known as liver arginase, is a binuclear manganese metalloenzyme. It is a key enzyme of the urea cycle that catalyses the conversion of L-arginine into L-ornithine and urea, the final cytosolic reaction of urea formation in the mammalian liver. Arginase 1 is abundantly expressed in liver, but it is also expressed in cells and tissues that lack a complete urea cycle, including lung. Arginase is a critical regulator of nitric oxide synthesis and vascular function. It is implicated in a variety of human diseases including vascular disease, pulmonary disease, infectious disease, immune cell function and cancer. In humans, hereditary defects in arginase result in an accumulation of arginine in the blood known as hyperarginemia. Arginase deficiency can also result in the accumulation of nitrogen in the form of ammonia, which results in hyperammonemia.

For Research Use Only