







DNAJB6 Polyclonal Antibody

catalog number: E-AB-61492

Note: *Centrifuge before opening to ensure complete recovery of vial contents.*

Description	
Reactivity	Human;Mouse;Rat
Immunogen	Recombinant fusion protein of human DNAJB6 (NP_490647.1).
Host	Rabbit
Isotype	Rabbit IgG
Purification	Affinity purification
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.
Applications	Recommended Dilution
IHC	1:50-1:200
IF	1:50-1:100

Data	
 Immunohistochemistry of paraffin-embedded Human well-differentiated squamous skin carcinoma using DNAJB6 Polyclonal Antibody at dilution of 1:100 (40x lens).	 Immunohistochemistry of paraffin-embedded Human kidney using DNAJB6 Polyclonal Antibody at dilution of 1:100 (40x lens).
 Immunohistochemistry of paraffin-embedded Human kidney cancer using DNAJB6 Polyclonal Antibody at dilution of 1:100 (40x lens).	 Immunohistochemistry of paraffin-embedded Human stomach using DNAJB6 Polyclonal Antibody at dilution of 1:100 (40x lens).
 Immunohistochemistry of paraffin-embedded Mouse ileum using DNAJB6 Polyclonal Antibody at dilution of 1:100 (40x lens).	 Immunofluorescence analysis of U2OS cells using DNAJB6 Polyclonal Antibody


For Research Use Only

Toll-free: 1-888-852-8623
Web: www.elabscience.com

Tel: 1-832-243-6086
Email: techsupport@elabscience.com

Fax: 1-832-243-6017

Rev. V1.7



Immunofluorescence analysis of HeLa cells using DNAJB6 Polyclonal Antibody at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.

Preparation & Storage

Storage

Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping

The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended.

Background

This gene encodes a member of the DNAJ protein family. DNAJ family members are characterized by a highly conserved amino acid stretch called the 'J-domain' and function as one of the two major classes of molecular chaperones involved in a wide range of cellular events, such as protein folding and oligomeric protein complex assembly. This family member may also play a role in polyglutamine aggregation in specific neurons. Alternative splicing of this gene results in multiple transcript variants; however, not all variants have been fully described.

For Research Use Only

Toll-free: 1-888-852-8623
Web: www.elabscience.com

Tel: 1-832-243-6086
Email: techsupport@elabscience.com

Fax: 1-832-243-6017

Rev. V1.7