



A Reliable Research Partner in Life Science and Medicine

# **Human SOD2 Antibody Pair Set**

Catalog No. E-KAB-0238 Applications ELISA

**Synonyms** IPOB, IPO-B, MNSOD, Mn-SOD, MVCD6

## **Kit components & Storage**

Title	Specifications	Storage
Human SOD2 Capture Antibody	1 vial, 100 μ g	Store at -20°C for one year.
		Avoid freeze / thaw cycles.
Human SOD2 Detection Antibody	1 vial, 50 μL	Store at -20°C for one year.
(Biotin)		Avoid freeze / thaw cycles.

Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### **Product Information**

Items		Characteristic (E-KAB-0238)	
		Human SOD2 Capture Antibody	Human SOD2 Detection Antibody
			(Biotin)
Immunogen	Immunogen	Recombinant Human SOD2 protein	Recombinant Human SOD2 protein
Information	Swissprot	P04179	
Product details	Reactivity	Human	Human
	Host	Goat	Goat
	Conjugation	Unconjugated	Biotin
	Concentration	0.5mg/mL	/
	Buffer	PBS with 0.04% Proclin 300, 50%	PBS with 0.04% Proclin 300, 1%
		glycerol, pH 7.4	protective protein, 50% glycerol, pH
			7.4
	Purify	Antigen Affinity	Antigen Affinity
	Specificity	Detects Human SOD2 in ELISAs.	·

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Web: <a href="mailto:www.elabscience.com">www.elabscience.com</a> Email: <a href="mailto:techsupport@elabscience.com">techsupport@elabscience.com</a>





A Reliable Research Partner in Life Science and Medicine

### **Applications**

Human SOD2 Sandwich ELISA Assay:

	Recommended	Reagent	Images
	Concentration/Dilution		
ELISA	0.5-4μg/mL	Human SOD2 Capture Antibody	
Capture			Aiss
ELISA Detection	1:1000-1:10000	Human SOD2 Detection Antibody (Biotin)	Human SOD2 concentration(ng/mL)

Note: This standard curve is only for demonstration purposes. A standard curve should be generated for each assay!

#### **Background**

SOD2(superoxide dismutase 2,mitochondrial) is also named as IPOB,MNSOD,SODM,Mn-SOD and belongs to the iron/manganese superoxide dismutase family. It is a marker of mitochondria, which is restricted to the perinuclear area in a cell with aggregate formation of mutant SOD1. It functions as the first line of antioxidant defense against highly reactive superoxide radicals and it appears to be early predictors for survival in septic patients with with MIF. It has 2 isoforms with the molecular weight of 25 kDa and 21 kDa.

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Web: <a href="mailto:www.elabscience.com">www.elabscience.com</a> Email: <a href="mailto:techsupport@elabscience.com">techsupport@elabscience.com</a>