

A Reliable Research Partner in Life Science and Medicine

alpha Tubulin Monoclonal Antibody

catalog number: AN005320L

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human; Mouse; Rat

Immunogen Recombinant human TUBA1B protein by E.coli

Host Mouse Isotype lgG Clone 2H2


Purification Protein A/G Purification

Buffer PBS with 0.05% Proclin300, 1% protective protein and 50% glycerol, pH7.4

Applications Recommended Dilution

1:2000-1:4000 WB 1:200-1:400 IF

Data



Western blot with Anti alpha Tubulin Monoclonal Antibody at Immunofluorescence analysis of U-2 OS cells using alpha dilution of 1:3000. Lane 1: HeLa cell lysate, Lane 2: MCF-7 cell lysate, Lane 3: HT-29 cell lysate, Lane 4: Hep G2 cell lysate, Lane 5: Mouse brain tissue lysate, Lane 6: Mouse kidney tissue lysate, Lane 7: Rat brain tissue lysate.

Tubulin Monoclonal Antibody at dilution of 1:200.

Observed-MW:55 kDa Calculated-MW:55 kDa

Preparation & Storage

Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

Tubulin is the major constituent of microtubules, a cylinder consisting of laterally associated linear protofilaments composed of alpha- and beta-tubulin heterodimers . Microtubules grow by the addition of GTP-tubulin dimers to the microtubule end, where a stabilizing cap forms. Below the cap, tubulin dimers are in GDP-bound state, owing to GTPase activity of alpha-tubulin.

For Research Use Only

Toll-free: 1-888-852-8623 Fax: 1-832-243-6017 Tel: 1-832-243-6086 Web: www.elabscience.com Email: techsupport@elabscience.com Rev. V1.5