## Recombinant Mouse TRAIL protein(His Tag)

Catalog Number: PKSM041490



| Description    |  |
|----------------|--|
|                |  |
| pecies         | Mouse  |
| lol_Mass       | 21.0 kDa   |
| ccession       | P50592   |
| bio-activity   | Measure by its ability to induce cytotoxicity in L929 cells in the presence of           |
|                | actinomycin D.The $ED_{50}$ for this effect is <1 ng/mL.                                 |
| Properties     |  |
| urity          | > 98 % as determined by reducing SDS-PAGE.   |
| ndotoxin       | < 0.1 EU per µg of the protein as determined by the LAL method.                          |
| torage         | Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 |
|                | °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of      |
|                | reconstituted samples are stable at $< -20^{\circ}$ C for 3 months.                      |
| hipping        | This product is provided as lyophilized powder which is shipped with ice packs.          |
| ormulation     | Lyophilized from sterile PBS, pH 7.4.  |
|                | Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants         |
|                | before lyophilization.   |
|                | Please refer to the specific buffer information in the printed manual.                   |
| Reconstitution | Please refer to the printed manual for detailed information.                             |
| Data           |  |
| kDa            |  |
| 75-            |  |
| 63-<br>48-     |  |
| 35-            |  |
|                |  |
| 25-            |  |
|                |  |
| 17-            |  |
| 11-            |  |

> 98 % as determined by reducing SDS-PAGE.

## Background

Cytokine that binds to TNFRSF10A/TRAILR1, TNFRSF10B/TRAILR2, TNFRSF10C/TRAILR3, TNFRSF10D/TRAILR4 and possibly also to TNFRSF11B/OPG. Induces apoptosis. Its activity may be modulated by binding to the decoy receptors TNFRSF10C/TRAILR3, TNFRSF10D/TRAILR4 and TNFRSF11B/OPG that cannot induce apoptosis.

## For Research Use Only