

## EIF4A1 Monoclonal Antibody

**catalog number: E-AB-22076**

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.


### Description

<b>Reactivity</b>	Human;Mouse;Rat
<b>Immunogen</b>	Synthetic Peptide
<b>Host</b>	Mouse
<b>Isotype</b>	IgG
<b>Clone</b>	2B6
<b>Purification</b>	Protein A purification
<b>Buffer</b>	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer, 0.5% protein protectant and 50% glycerol.

### Applications


Applications	Recommended Dilution
<b>WB</b>	1:500-1:3000
<b>IHC</b>	1:50-1:300
<b>IF</b>	1:100-1:200

### Data




Western Blot analysis of 1) 293T, 2) HeLa, 3) HepG2, 4) Mouse brain with eIF4A1 Monoclonal Antibody.

**Observed-MW:48 kDa**



Immunofluorescence analysis of Mouse spleen tissue using eIF4A1 Monoclonal Antibody at dilution of 1:200.



Immunohistochemistry of paraffin-embedded Mouse colon tissue using eIF4A1 Monoclonal Antibody at dilution of 1:200.

### Preparation & Storage

<b>Storage</b>	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
<b>Shipping</b>	The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended.

### Background

### For Research Use Only

EIF4A1 is an ATP-dependent RNA helicase which is a subunit of the eIF4F complex involved in cap recognition and is required for mRNA binding to ribosome. In the current model of translation initiation, eIF4A unwinds RNA secondary structures in the 5'-UTR of mRNAs which is necessary to allow efficient binding of the small ribosomal subunit, and subsequent scanning for the initiator codon.

## For Research Use Only

Toll-free: 1-888-852-8623  
Web: [www.elabscience.com](http://www.elabscience.com)

Tel: 1-832-243-6086  
Email: [techsupport@elabscience.com](mailto:techsupport@elabscience.com)

Fax: 1-832-243-6017

Rev. V1.8