



A Reliable Research Partner in Life Science and Medicine

Biotin Anti-Human CD18 Antibody[TS1/18.1.2.11]

Catalog Number: E-AB-F1057B

Note: Centrifuge before opening to ensure complete recovery of vial contents.

_		4.0	
	escri	MTI.	on.
ш	COUL		UII

Reactivity Human Mouse Host

Isotype Mouse IgG1, ĸ Clone No. TS1/18.1.2.11

Biotin Mouse IgG1, κ Isotype Control[MOPC-21] [Product E-AB-F09793B] Isotype Control

Conjugation

Storage Buffer Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein

protectant.

Applications Recommended usage

Each lot of this antibody is quality control tested by flow cytometric analysis. For flow **FCM**

> cytometric staining, the suggested use of this reagent is $\leq 1.0 \ \mu g$ per 10^6 cells in $100 \ \mu L$ volume or 100 µL of whole blood. It is recommended that the reagent be titrated for

optimal performance for each application.

Preparation & Storage

Storage Keep as concentrated solution.

This product can be stored at 2-8°C for 12 months. Do not freeze.

Shipping Ice bag

Antigen Information

CD18;Cell surface adhesion glycoproteins LFA-1/CR3/p150+95 subunit beta; **Alternate Names**

Complement receptor C3 subunit beta;Integrin beta-2;Itgb2

P05107 **Uniprot ID** Gene ID 3689

Background CD18 is a 90-95 kD type I transmembrane protein also known as integrin β2 subunit,

> LFA-1 β subunit, and β 2 integrin. CD18 non-covalently associates with CD11a, CD11b or CD11c. CD18 is expressed on all leukocytes. CD18 and associated α chains

function in adhesion and signaling in hematopoietic cells.

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Web:www.elabscience.com

Rev. V1.4