cellsystem

普诺赛® Procell system

BMP-4/BMP-2B/DVR4, Mouse, Recombinant

Cat. No.: GPCK308

产品信息

物种 Mouse

表达宿主 E.coli

序列信息 MKKNKNCRRHSLYVDFSDVGWNDWIVAPPGYQAFYCHGDCPFPLADHLNSTNHAIVQTLVN

cellsystem

SVNSSIPKACCVPTELSAISMLYLDEYDKVVLKNYQEMVVEGCGCRwith polyhistidine tag at

the C-terminus.

检索号 P21275

标签 His-tag at the C-terminus

分子量 12.88 kDa **有效期** 12 months

生物活性 Measure by its ability to induce alkaline phosphatase production by ATDC5 cells. The

ED50 for this effect is < 10 ng/mL. The specific activity of recombinant mouse BMP-4 is

 $> 1 \times 10^5 \text{ IU/mg}$.

产品特性

内毒素 (EU/μg) < 0.1

保存 Lyophilized protein should be stored at -5~-20°C for 1 year. Upon reconstitution, store at 2-

8°C for up to 1 week. Further dilute in a buffer containing a carrier protein or stabilizer (e.g. 0.1% BSA, 10% FBS, 5% HSA or 5% trehalose solution), protein aliquots should be stored

at -5~-20°C or -80°C for 3-6 months.

运输 Ambient temperature or ice pack.

制剂 The protein was lyophilized from a 0.2 µm filtered solution containing 20 mM sodium

carbonate, pH 4.5.

复溶 It is recommended to reconstitute the lyophilized protein in sterile water to a

concentration not less than 100 µg/mL. Do Not Vortex! Vigorous shaking may impair the

biological activity of the protein.

背景介绍

Bone morphogenetic protein 4 is a protein that in humans is encoded by BMP4 gene. BMP4 is found on chromosome 14q22-q23. BMP4 is a member of the bone morphogenetic protein family which is part of the transforming growth factor-beta superfamily. The superfamily includes large families of growth and differentiation factors. BMP4 is highly conserved evolutionarily. BMP4 is found in early embryonic development in the ventral marginal zone and in the eye, heart blood and otic vesicle.

网站: <u>www.procell.com.cn</u> 电话: 400-999-2100

邮箱: techsupport@procell.com.cn

地址:湖北省武汉市高新大道858号生物医药产业园三期C4栋



