

Low IgG Fetal Bovine Serum

Cat. No. : 164214

Size: 500mL/100mL

General Information

Product Form	Liquid
Serum Level	Premium Plus
Shipping	Low temperature, sealed, protect from light
Storage	Store at $\leq -15^{\circ}\text{C}$, storage for up to 5 years Store at $2-8^{\circ}\text{C}$ for no more than one month

Product Characteristics

1. Low endotoxin, free from Bacteria, Mycoplasma, Bacteriophages, Viruses, and other Contaminants.
2. No added factors, hormones, antibiotics or other supplementary components.
3. It has been treated by Protein A affinity chromatography to reduce the content of immunoglobulin G (IgG), and it is suitable for cell culture and experimental research sensitive to IgG, such as immunological experiments and antibody production. It can be used with confidence.

Product Acceptance

1. The serum's internal and external packaging should be intact, without any damage, cracks, leakage or seepage.
2. Upon arrival, the serum should be in a frozen or ice-water mixed state, and should not be fully thawed.
3. In the event of above issues, please take photos for documentation and contact us promptly for a timely replacement.

Thawing Method

1. Please thaw the serum at $2-8^{\circ}\text{C}$ environment. Thawing at higher temperatures is not recommended, as it may cause the serum to become turbid, increase precipitation, and degrade its quality.
2. Please shake the serum gently from time to time during the thawing process to ensure that the serum composition and temperature are uniform, thus reducing the production of precipitation. Be careful not to create bubbles when shaking.
3. Once thawed, serum should be used as soon as possible. Repeated freezing and thawing should be avoided to maintain its quality.
4. Serum should not be placed at room temperature for extended periods. After use, promptly return it to a $2-8^{\circ}\text{C}$ environment.
5. High-temperature thawing, vigorous shaking, repeated freezing and thawing, and prolonged storage can all lead to a decrease in serum quality.

Notes

1. This product is intended for research or further production use only and is not to be used for clinical diagnosis or treatment.
2. To maintain the optimal performance of this product, please avoid repeated freeze-thaw cycles.

Common Issues and Solutions

1. Optimal Serum Thawing to Preserve Product Integrity

- (1) After removing the serum from the low-temperature freezer, initially place it in a $2-8^{\circ}\text{C}$ refrigerator for 12-24 hours to partially thaw, then allow it to fully thaw at room temperature. During the thawing process, it is

crucial to gently and periodically shake the serum to ensure uniform distribution.

- (2) Never place serum directly from a -20°C freezer directly into a water bath, whether at room temperature or at 37°C. The rapid thawing in the water bath, with a temperature differential of 57°C (-20°C→ 37°C), can easily cause the serum to precipitate and compromise its quality.
- (3) Placing serum directly from a low-temperature freezer into a 56°C water bath is an extremely detrimental practice, showing a lack of responsibility towards the serum and a blatant disregard for scientific protocols!
- (4) Serum should be stored at temperatures below -15°C. If the entire bottle cannot be used at once, it should be aliquoted under sterile conditions and stored frozen to avoid repeated freeze-thaw cycles.

2. What precipitates occur in serum?

- (1) Fibrin is a typical larger precipitate that can reach 1-2 mm in size, and is visible to the naked eye.
- (2) Calcium phosphate, another common precipitate, typically causes the serum to appear cloudy and may increase when cultured at 37°C. Under an inverted microscope, these precipitates appear as small black dots that, due to Brownian motion, may appear to move, often leading to a misidentification as microbial contamination.
- (3) Cholesterol, fatty acid esters, and certain proteins are also common causes of precipitates in serum. Regarding cell growth, our experiments and experience indicate that these precipitates do not affect cell culture. This has also been confirmed by our customers and serum manufacturers.

3. What to do if flocculent precipitates appear after thawing serum?

- (1) If you wish to remove these flocculent precipitates, aliquot the serum into sterile centrifuge tubes and centrifuge at 400-600 g for 5 min. The supernatant can then be added to the culture medium for cultivation.
- (2) It is not recommended to remove these flocculent precipitates through filtration as it may clog the filter membrane. Additionally, filtration could lead to the loss of certain nutritional components in the serum.

4. How to avoid the formation of precipitate in serum?

Excessive temperature, prolonged incubation and uneven shaking can all lead to an increase in precipitation. We recommend that serum heat inactivation should be avoided unless absolutely necessary. If heat inactivation is required, it should be strictly performed at 56°C for 30 minutes, with gentle and continuous shaking to ensure uniformity.

5. What is the best way to store serum?

Serum intended for long-term storage must be stored at -15°C or lower. Studies have shown that serum stored at -80°C does not exhibit any change in performance, but the large temperature differential during thawing can lead to increased precipitate formation. Therefore, it is not recommended to store at -80°C. When stored at 2-8°C, serum should not be kept for more than one month. If the entire bottle cannot be used at once, it is advised to aliquot and store it to avoid repeated freeze-thaw cycles. Additionally, serum volume increases by approximately 10% upon freezing, so leave sufficient space when aliquoting.