A Reliable Research Partner in Life Science and Medicine

# Recombinant Human Apolipoprotein A-I/ApoAl Protein (aa 19-267, His Tag)

Catalog Number: PKSH033764

Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### **Description**

Species Human

Source HEK293 Cells-derived Human Apolipoprotein A-I;ApoAI protein Arg19-Gln267, with

an C-terminal His

 Mol\_Mass
 30.0 kDa

 Accession
 P02647

**Bio-activity** Not validated for activity

## **Properties**

**Purity** > 95 % as determined by reducing SDS-PAGE.

**Endotoxin** < 1.0 EU per µg of the protein as determined by the LAL method.

**Storage** Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

**Shipping** This product is provided as lyophilized powder which is shipped with ice packs.

**Formulation** Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.


Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants

before lyophilization.

Please refer to the specific buffer information in the printed manual.

**Reconstitution** Please refer to the printed manual for detailed information.

## Data



> 95 % as determined by reducing SDS-PAGE.

## Background

Apolipoprotein A1 (APOA1) is a secreted protein which belongs to the Apolipoprotein A1/A4/E family. APOA1 is the major protein component of high density lipoprotein (HDL) in plasma. APOA1 plays a critical role in various biological processes; such as Cholesterol metabolism; Lipid metabolism and transport; Steroid metabolism. APOA1 promotes cholesterol efflux from tissues to the liver and thus helps to clear cholesterol from arteries. Defects in this gene resulted in HDL deficiencies; including Tangier disease (TGD); systemic non-neuropathic amyloidosis; premature coronary artery disease; hepatosplenomegaly and progressive muscle wasting and weakness. In addition; ApoA-I is implicated in the anti-endotoxin function of HDL via interaction with lipopolysaccharide or endotoxin.

## For Research Use Only

Toll-free: 1-888-852-8623 Web:www.elabscience.com

Fax: 1-832-243-6017