

Human Cys-C Antibody Pair Set

Catalog No.	E-KAB-0020	Applications	ELISA
Synonyms	CST3, Cystatin 3, ARMD11, Post-Gamma-Globulin		

Kit components & Storage

Title	Specifications	Storage
Human Cys-C Capture Antibody	1 vial, 100 µg	Store at -20℃. Avoid freeze/thaw cycles.
Human Cys-C Detection Antibody (Biotin)	1 vial, 50 µL	Store at -20℃. Avoid freeze/thaw cycles.

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Product Information

Items		Characteristic (E-KAB-0020)	
		Human Cys-C Capture Antibody	Human Cys-C Detection Antibody (Biotin)
Immunogen Information	Immunogen	Recombinant Human Cys-C protein	Recombinant Human Cys-C protein
	Swissprot	P01034	
Product details	Reactivity	Human	Human
	Host	Rabbit	Mouse
	Conjugation	Unconjugated	Biotin
	Concentration	0.5 mg/mL	/
	Buffer	PBS with 0.04% Proclin 300, 50% glycerol, pH 7.4	PBS with 0.04% Proclin 300; 1% protective protein; 50% glycerol; pH 7.4
	Purify	Antigen Affinity	Protein A
	Specificity	Detects Human Cys-C in ELISAs.	

For Research Use Only

Applications

Human Cys-C Sandwich ELISA Assay

	Recommended Concentration/Dilution	Reagent	Images
ELISA Capture	0.5-4 µg/mL	Human Cys-C Capture Antibody	
ELISA Detection	1:1000-1:10000	Human Cys-C Detection Antibody (Biotin)	

Note: This standard curve is only for demonstration purposes. A standard curve should be generated for each assay!

Background

Cystatin C is a member of family 2 of the Cystatin superfamily . It is involved in processes such as tumor invasion and metastasis, inflammation and some neurological diseases. It inhibits many cysteine proteases such as papain and cathepsins B,H,K,L, and S.

For Research Use Only