Recombinant Human Lactotransferrin/LTF Protein (His dag)

Catalog Number: PKSH032679



Note: Centrifuge before opening to ensure complete recovery of vial contents. Description Species Human Mol Mass 77.3 kDa Accession AAH15822.1 Not validated for activity **Bio-activity Properties** > 95 % as determined by reducing SDS-PAGE. Purity < 1.0 EU per µg of the protein as determined by the LAL method. Endotoxin Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 Storage °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at $< -20^{\circ}$ C for 3 months. This product is provided as lyophilized powder which is shipped with ice packs. Shipping Lyophilized from a 0.2 µm filtered solution of 20mM PB, 150mM NaCl, pH 7.4. Formulation Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual. Reconstitution Please refer to the printed manual for detailed information. Data



> 95 % as determined by reducing SDS-PAGE.

Background

Lactotransferrin is a member of the transferrin family that transfer iron to the cells and control the level of free iron in the blood and external secretions. Lactotransferrin is a secreted protein and contains two transferrin-like domains. Lactotransferrin can be cleaved into the following four chains: Kaliocin-1; Lactoferroxin-A; Lactoferroxin-B; and Lactoferroxin-C. Lactoferroxin A; Lactoferroxin B; and Lactoferroxin C have opioid antagonist activity. Lactoferroxin A shows preference for mu-receptors; while Lactoferroxin B and Lactoferroxin C have somewhat higher degrees of preference for kappa-receptors than for mu-receptors. LTF has antimicrobial activity (bacteriocide; fungicide) and is part of the innate defense; mainly at mucoses.

For Research Use Only