## **Elabscience**®

## MAD2L1BP Polyclonal Antibody

## catalog number: E-AB-10441

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Reactivity   Human     mmunogen   Recombinant protein of human MAD2L1BP     Host   Rabbit     sotype   IgG     Purification   Affinity purification     Conjugation   Unconjugated     Buffer   Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.     Applications   Recommended Dilution     HC   1:100-1:300     Data   Immunohistochemistry of paraffin-embedded Human colon     Immunohistochemistry of paraffin-embedded Human colon   Immunohistochemistry of paraffin-embedded Human lung cancer tissue using MAD2L1BP Polyclonal Antibody at dilution 1:60     Preparation & Storage   Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.     Shipping   The product is shipped with ice pack,upon receipt,store it immediately at the temperature recommended.	<b>3</b> <i>t</i>	· · · · · ·			
mmunogen Recombinant protein of human MAD2L1BP Ast Rabbit sotype IgG Purification Affinity purification Conjugation Unconjugated Buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol. Applications Recommended Dilution HC I:100-1:300 Data Termunohistochemistry of paraffin-tembedded Human colon fummunohistochemistry of paraffin-tembedded Human colon acacer tissue using MAD2L1BP Polyclonal Antibody at dilution 1:0 Teparation & Storage Storage Storage Storage Storage Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles. Storage Storage Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.	Description				
Inset   Rabbit     sotype   IgG     Purification   Affinity purification     Conjugation   Unconjugated     Buffer   Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.     Applications   Recommended Dilution     HC   1:100-1:300     Data   Immunohistochemistry of paraffin-embedded Human colon     Immunohistochemistry of paraffin-embedded Human colon   Immunohistochemistry of paraffin-embedded Human lung     cancer tissue using MAD2L1IBP Polyclonal Antibody at dilution 1:60   Immunohistochemistry of paraffin-embedded Human lung     Preparation & Storage   Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.     Shipping   Storage tissue using with ice pack,upon receipt,store it immediately at the tenerature recommended.	Reactivity	Human			
sotype IgG Artification Affinity purification Conjugaton Unconjugated Buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol. Applications Recommended Dilution HC 1:100-1:300 Data The Construction of the Construc	Immunogen	Recombinant protein of h	Recombinant protein of human MAD2L1BP		
Purification Affinity purification Unconjugated Unconjugated Unconjugated Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol. Applications Recommended Dilution I:00 I:100 I:100 IIII IIIIIIIIIIIIIIIII	Host	Rabbit	Rabbit		
Conjugation   Unconjugated     Buffer   Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.     Applications   Recommended Dilution     HC   1:100-1:300     Data   Immunohistochemistry of paraffin-embedded Human colon cancer tissue using MAD2L1BP Polyclonal Antibody at dilution 1:60     Preparation & Storage   Stor at -20°C Valid for 12 months. Avoid freeze / thaw cycles.     Shipping   Stor at -20°C Valid for 12 months. Avoid freeze / thaw cycles.	Isotype	IgG			
Buffer   Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.     Applications   Recommended Dilution     HC   1:100-1:300     Data   Immunohistochemistry of paraffin-embedded Human colon     Immunohistochemistry of paraffin-embedded Human colon   Immunohistochemistry of paraffin-embedded Human colon     Immunohistochemistry of paraffin-embedded Human colon   Immunohistochemistry of paraffin-embedded Human lung     cancer tissue using MAD2L1BP Polyclonal Antibody at dilution 1:60   Immunohistochemistry of paraffin-embedded Human lung     Preparation & Storage   Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.     Shipping   Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.     The product is shipped with ice pack,upon receipt,store it immediately at the temperature recommended.	Purification	Affinity purification	Affinity purification		
Applications   Recommended Dilution     HC   1:100-1:300     Data   Immunohistochemistry of paraffin-embedded Human colon cancer tissue using MAD2L1BP Polyclonal Antibody at dilution 1:60     Preparation & Storage   Storage     Storage   Storage     Storage   Storage     Storage   Storage     Storage   Storage     Storage   Storage commended.	Conjugation	Unconjugated	Unconjugated		
HC 1:100-1:300 Data Termunohistochemistry of paraffin-embedded Human colon cancer tissue using MAD2L1BP Polyclonal Antibody at dilution 1:60 Preparation & Storage Storage Storage Storage Store at -20°C Valid for 12 months. A void freeze / thaw cycles. The product is shipped with ice pack,upon receipt,store it immediately at the temperature recommended.	Buffer	Phosphate buffered solut	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.		
Data     Immunohistochemistry of paraffin-embedded Human colon cancer tissue using MAD2L1BP Polyclonal Antibody at dilution 1:60   Immunohistochemistry of paraffin-embedded Human lung cancer tissue using MAD2L1BP Polyclonal Antibody at dilution 1:60     Preparation & Storage   Store at -20°C Valid for 12 months. A void freeze / thaw cycles.     Shipping   Store at -20°C Valid for 12 months. A void freeze / thaw cycles.     The product is shipped with ice pack,upon receipt,store it immediately at the temperature recommended.	Applications	<b>Recommended Dilution</b>			
Immunohistochemistry of paraffin-embedded Human colon   Immunohistochemistry of paraffin-embedded Human lung     cancer tissue using MAD2L1BP Polyclonal Antibody at dilution 1:60   Cancer tissue using MAD2L1BP Polyclonal Antibody at dilution 1:60     Preparation & Storage   Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.     Shipping   Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.     The product is shipped with ice pack,upon receipt,store it immediately at the temperature recommended.	IHC	1:100-1:300			
cancer tissue using MAD2L1BP Polyclonal Antibody at dilution 1:60   cancer tissue using MAD2L1BP Polyclonal Antibody at dilution 1:60     Preparation & Storage   Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.     Shipping   The product is shipped with ice pack,upon receipt,store it immediately at the temperature recommended.	Data				
dilution 1:60 dilution 1:60   Preparation & Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.   Shipping The product is shipped with ice pack,upon receipt,store it immediately at the temperature recommended.	• •				
Preparation & Storage   Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.     Shipping   The product is shipped with ice pack,upon receipt,store it immediately at the temperature recommended.					
Storage   Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.     Shipping   The product is shipped with ice pack,upon receipt,store it immediately at the temperature recommended.			dilution 1:60		
Shipping     The product is shipped with ice pack,upon receipt,store it immediately at the temperature recommended.	Preparation & Storage				
temperature recommended.	Storage	Store at -20°C Valid for 12	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.		
-	Shipping	The product is shipped w	The product is shipped with ice pack, upon receipt, store it immediately at the		
Background		temperature recommended	d.		
	Background				

The protein encoded by this gene was identified as a binding protein of the MAD2 mitotic arrest deficient-like 1 (MAD2/MAD2L1). MAD2 is a key component of the spindle checkpoint that delays the onset of anaphase until all the kinetochores are attached to the spindle. This protein may interact with the spindle checkpoint and coordinate cell cycle events in late mitosis. Alternatively spliced transcript variants encoding distinct isoforms have been observed.